

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L3 | 52 | ((first and second) near3 node) with failover | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 08:53 |
| L4 | 42 | 3 and (@ad<="20030722" or @rlad<="20030722") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 08:53 |
| S1 | 6169 | 710/52,56.ccls. or 709/226,248.ccls. or 714/1,6,20.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/07 08:49 |
| S2 | 1475 | S1 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 echo\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 14:58 |
| S3 | 50 | S2 and (buffer descriptor) with pool | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/07 08:59 |
| S4 | 841 | S2 and (buffer descriptor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/07 08:55 |
| S5 | 1591 | S1 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 echo\$5 back?up mirror\$4) with (data transaction information write\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/07 08:58 |
| S6 | 52 | S5 and (buffer descriptor) with pool | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/07 08:59 |
| S7 | 14 | "6658540".did. or "6625623".did. or "6601187".did. or "6049809".did. or "4432057".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/07 09:20 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S8 | 19471 | (modify\$4 modification alter\$5 chang\$5) with (resource memory buffer) with (characteristic rate amount number size frequency locality) with (writ\$5 stor\$5 updat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:44 |
| S9 | 139959 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:40 |
| S10 | 2373 | S9 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 14:32 |
| S11 | 49924 | ((replicat\$5 duplicat\$5 copy\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 14:32 |
| S12 | 1208 | S11 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 14:32 |
| S13 | 1108 | S12 and @ad<"20030722" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 07:20 |
| S14 | 6193 | 710/52,56.ccls. or 709/226,248.ccls. or 714/1,6,20.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 14:34 |
| S15 | 44 | S13 and S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 14:34 |
| S16 | 1531 | buffer\$3 near\$5 tun\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 14:49 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S17 | 88 | S16 and S9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 14:49 |
| S18 | 44097 | ((replicat\$5 copy\$5 back?up) with (data transaction information writ\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:43 |
| S19 | 21254 | (modify\$4 modification alter\$5 chang\$5 tun\$4) with (resource memory buffer) with (characteristic rate amount number size frequency locality) with (writ\$5 stor\$5 updat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:44 |
| S20 | 1105 | S18 and S19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:45 |
| S21 | 1010 | S20 and @ad<"20030722" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:47 |
| S22 | 672 | S21 and (log\$5 history) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:46 |
| S23 | 118 | S21 and (allocat\$5 near3 (resource buffer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:47 |
| S24 | 130 | S20 and (allocat\$5 near3 (resource buffer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:48 |
| S25 | 257 | S20 and (allocat\$5 near3 (resource buffer memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 15:48 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S26 | 2 | "5920701".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 17:08 |
| S27 | 778 | (modify\$4 chang\$4 alter\$5 adjust\$4 modification tun\$4) with (memory buffer) with (pool availabl\$5) with (size number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 08:58 |
| S28 | 132 | S27 and (replicat\$4 back?up copy\$4 mirror) with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 10:04 |
| S29 | 132 | S27 and (replicat\$4 back?up copy\$4 mirror\$4) with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 08:59 |
| S30 | 5 | S27 and ((replicat\$4 back?up mirror) with data).ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 10:04 |
| S31 | 25 | S27 and ((replicat\$4 back?up mirror) with data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 10:07 |
| S32 | 1 | "6625623".did. and cache | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 10:08 |
| S33 | 1 | "4791492".pn. and (sheet near3 size) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 16:58 |
| S34 | 1 | "4791492".pn. and sbd | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 16:58 |
| S35 | 4761 | (daughter near3 (board card)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 10:26 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S36 | 2223 | (mother near3 (board card)) and (daughter near3 (board card)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 10:27 |
| S37 | 150 | S36 and flash | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 10:29 |
| S38 | 485 | (daughter near3 (board card)).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 10:29 |
| S39 | 8 | S38 and flash | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 10:29 |
| S40 | 2 | "6625623".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 15:42 |
| S41 | 2 | "6192480".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 16:21 |
| S42 | 814 | (adjust\$4 modify\$4 program\$5) with (sleep hibernat\$4) with (power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 16:22 |
| S43 | 500 | (adjust\$4 modify\$4 program\$5) with (sleep hibernat\$4) with mode with (power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 16:22 |
| S44 | 48 | (adjust\$4 modify\$4 program\$5) near3 (sleep hibernat\$4) near3 mode near3 (power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 16:35 |
| S45 | 155 | error near3 check\$4 near3 (power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 16:29 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S46 | 29 | (error near3 check\$4) with ((conserv\$5 regulat\$4 reduc\$4) near3 (power)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 16:29 |
| S47 | 5 | (adjust\$4 modify\$4 programable) near3 (sleep hibernat\$4) near3 mode near3 (power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/11 16:35 |
| S48 | 7 | automatic\$5 with (modify\$4 chang\$5 increase decrease) with ((memory buffer) near3 pool) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/23 20:05 |
| S49 | 2 | "6064668".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/23 20:05 |
| S50 | 2 | "6625623".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/26 12:23 |
| S51 | 53889 | ((replicat\$5 copy\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/26 12:28 |
| S52 | 24570 | (modify\$4 modification alter\$5 chang\$5 tun\$4) with (resource memory buffer) with (characteristic rate amount number size frequency locality) with (writ\$5 stor\$5 updat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/26 12:28 |
| S53 | 1384 | S51 and S52 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/26 12:28 |
| S54 | 348 | S53 and (allocat\$5 near3 (resource buffer memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/26 12:28 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S55 | 2 | "6625623".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 08:52 |
| S56 | 8044 | 710/52,56.ccls. or 709/226,248. ccls. or 714/1,6,20.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 14:58 |
| S57 | 2142 | S56 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 echo\$5 back?up mirror\$4) with (data transaction information write\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 14:58 |
| S58 | 166853 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 14:59 |
| S59 | 1775 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second).near3 (node host device computer client controller)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 15:03 |
| S60 | 0 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second).near3 (node host device computer client controller)) with ((buffer memory) near3 pool) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 15:04 |
| S61 | 555 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second).near3 (node host device computer client controller)) with (memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 15:13 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S62 | 33 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information writes\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller)) with (buffer memory) with (manag\$4 allocat\$4 reservat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 15:29 |
| S63 | 49 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information writes\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller)) with (buffer memory) with (manag\$6 allocat\$4 reservat\$4 modify modificat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 16:00 |
| S64 | 118464 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 16:04 |
| S65 | 313 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)) with (allocat\$4 assign\$4 reserv\$6) with (memory buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 16:05 |
| S66 | 70 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)) with (allocat\$4 assign\$4 reserv\$6) with (memory buffer) with (node workstation host computer device) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 17:11 |
| S67 | 29834 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)).ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 17:13 |
| S68 | 2439 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent) with (host node computer)).ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 17:48 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S69 | 63 | S68 and ((allocat\$4 assign\$4 reserv\$5) near3 (memory buffer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/20 17:28 |
| S70 | 22 | ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent) with ((first and second) near3 (host node computer))).ti, ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 07:17 |
| S71 | 735 | remote near3 (replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 07:18 |
| S72 | 318 | S71 and ((first primary) and (second\$4 back?up fail?over) with (host controller node)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 07:19 |
| S73 | 201 | S72 and (@ad<="20030722" or @rlad<="20030722") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/21 08:53 |